


AVANTI PRO

1,735



Load capacity up to 135 kg





PRO design



Unique brake with extremely low actuating force



On track



Individual chassis adjustment

Just like a pro!

EFFICIENCY

- Compatibility with MEYRA's modular system
- Extensive network of specialist retailers ensures a secure supply of spare parts
- High variability without the need to swap parts

THERAPEUTIC BENEFIT

- Fine adjustment
- Two frame lengths enable very good proportional allocation
- Wide variety of therapeutically proven accessories
- Equipment adaptable to personal needs even with changing medical conditions
- One-piece frame with integrated legrests
- Extensive modular system

USE

- Adaptive wheelchair for universal everyday use
- Long-term care with high adaptation requirement
- Very well suited for a wide range of medical conditions
- For paraplegic care
- User weight up to 135 kg and up to seat width 580 mm

ORDER

COST ESTIMATE

CUSTOM DESIGN

Please fax the completed order form to: +49 5733 922 9311 Customer service: +49 5733 922 311

Billing address / Customer ref. no.:

Delivery address:

Consignment / Comments:

MEYRA®



 **Permissible user weight**
135 kg

AVANTI PRO 1.735

All prices subject to VAT at the prevailing rate! Valid from 01.01.2020 – 31.12.2020.
Our Terms and Conditions as stated at www.meyra.de/AGB shall apply.

Specifications

	352 FRAME STANDARD	353 FRAME LONG		
Seat width	360 - 580	360 - 580	User weight	135
Width, ready to move	SW + 190 (with side panel CODE 100 SW +180)		Min. empty weight	from 11
Width, folded	280		Permissible total weight	from 146
Seat depth	350 - 430	460 - 500	Transport weight	8.5
Seat height front / rear	440 - 520 / 420 - 520	440 - 520 / 420 - 520	Drive wheel	610 (24")
Total height	920	920	Seat tilt	0° - 10°
Back height	340 - 440	340 - 440		
Armrest height (CODE 81)	200 - 290	200 - 290		
Length with footrest*	870 - 960	925 - 1015		

Dimensions in mm, weights in kg, wheels in inches, dimension tolerance ± 10 mm
* depending on frame length, wheel size and axle position

Caution!

Please note when using public transport (e.g. trains): the dimensions of the wheelchair may exceed the transport company guidelines. Please enquire beforehand. When using auxiliary drives, the permissible total weight must not be exceeded.

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

00 Frame design (frame length)

The AVANTI PRO is available in two frame lengths. The frame length depends on the selected seat depth and is configured automatically. With all frame lengths, the frame design guarantees maximum legroom and optimum sit to stand transfer.

CODE	DESCRIPTION	SD
<input type="checkbox"/> 352	Frame standard	350 - 430 mm
<input type="checkbox"/> 353	Frame long	460 - 500 mm
<input type="checkbox"/> 903	Reinforced caster forks, recommended when using auxiliary drives and with heavier user weight	

Please bear in mind your seat depth and specify this accordingly in category 02!

01 Seat width (SW)

CODE	DESCRIPTION	FRAME CODE
<input type="checkbox"/> 36	SW 360 mm	352 and 353
<input type="checkbox"/> 38	SW 380 mm	352 and 353
<input type="checkbox"/> 40	SW 400 mm	352 and 353
<input type="checkbox"/> 342	SW 420 mm	352 and 353
<input type="checkbox"/> 344	SW 440 mm	352 and 353
<input type="checkbox"/> 46	SW 460 mm	352 and 353
<input type="checkbox"/> 48	SW 480 mm With aluminium double cross brace	352 and 353
<input type="checkbox"/> 350	SW 500 mm With aluminium double cross brace	352 and 353
<input type="checkbox"/> 53	SW 530 mm With aluminium double cross brace	352 and 353
<input type="checkbox"/> 358	SW 580 mm Aluminium double cross brace, only with pushbar CODE 814 and footrest CODE 54	352 and 353
<input type="checkbox"/> 4541	SW 360 - 460 mm Aluminium double cross brace, recommended with use of auxiliary drives or high loads	352 and 353

02 Seat depth (SD)

CODE	DESCRIPTION	FRAME CODE
<input type="checkbox"/> 610	SD 350 mm	352, only for SW 360 - 460 mm
<input type="checkbox"/> 368	SD 380 mm	352, only for SW 360 - 460 mm
<input type="checkbox"/> 615	SD 400 mm	352
<input type="checkbox"/> 788	SD 430 mm	352
<input type="checkbox"/> 619	SD 460 mm	353
<input type="checkbox"/> 787	SD 480 mm	353
<input type="checkbox"/> 792	SD 500 mm	353

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

05 Drive wheels in combination with seat height

CODE	DESCRIPTION	Ø
<input type="checkbox"/> 651	Standard wheel silver, incl. quick release axle (pair)	24"
<input type="checkbox"/> 2651	Standard wheel black, incl. quick release axle (pair) not in conjunction with CODE 706 drum brake	24"
<input type="checkbox"/> 848	SILVERDESIGN with radial spokes and high flange hub incl. quick release axle (pair)	24"
<input type="checkbox"/> 695	Active wheel with radial spokes, high flange hub, hollow section rim (Jumbo rim) black (pair) Recommended for user weight over 100 kg or dynamic driving style! Not in conjunction with PU tyres CODE 902 and drum brake CODE 706	24"
<input type="checkbox"/> 752	"Light" wheel incl. Schwalbe RightRun light tyre and black aluminium hand rim, not in conjunction with 3° wheel camber CODE 907. (pair). Recommended for user weight up to 90 kg!	24"

Select your hand rim in category 08 and the tyres in category 09. Please bear in mind the tyre width!
Or select optional Xtrends drive wheels incl. hand rims and tyres instead of drive wheels CODE 651, 848 or 695.

Xtrends drive wheels

CODE	ARTICLE	DESCRIPTION	Ø
<input type="checkbox"/> 688	1068705	Six star incl. 8 bar high-pressure tyres and aluminium hand rim (pair)	24 x 1"
<input type="checkbox"/> 688	1068713	Black Light incl. Schwalbe Marathon Plus Evolution and aluminium hand rim (pair)	24 x 1"
<input type="checkbox"/> 688	<input type="checkbox"/> blue 1081354 <input type="checkbox"/> red 1081356 <input type="checkbox"/> gold 1081355	New Active wheel with radial spokes, Schwalbe ONE tyre, hub, rim and hand rim, colour	24 x 1"

Drive wheel options

CODE	DESCRIPTION
<input type="checkbox"/> 880	60 mm Wheelbase extension

Wheel camber

CODE	DESCRIPTION
<input type="checkbox"/> 907	3° wheel camber, not in combination with drum brake CODE 706 and/or wheelbase extension CODE 880

06 Horizontal drive wheel position (setting centre of gravity)

Measurement: Centre of back tube to centre of axle (see enclosed information)

Position	A	B	C	D
Selection	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

07 Tyres (not in combination with Xtrends wheels)

CODE	DESCRIPTION	Ø	Ø	Ø	Ø
<input type="checkbox"/> 486	Pneumatic tyres with groove tread	22 x 1"	22 x 1 3/8"	24 x 1"	24 x 1 3/8"
<input type="checkbox"/> 395	Maxxis VN Master Alpha Protect tyres, black, puncture-resistant, 10 bar			24 x 1"	
<input type="checkbox"/> 902	PU tyres, puncture-proof, not in conjunction with Active wheel CODE 695	22 x 1"	22 x 1 3/8"	24 x 1"	24 x 1 3/8"
<input type="checkbox"/> 897	Schwalbe Marathon Plus Evolution tyres, puncture-resistant, 10 bar	22 x 1"		24 x 1"	
<input type="checkbox"/> 363	Schwalbe ONE plain tread tyres, puncture-resistant, 9 bar			24 x 1"	

Bear in mind tyre width in combination with drive wheels! See category 05 Seat height in combination with drive wheel.

Note: Tyres consist of a rubber compound which may leave permanent marks or be hard to remove from some surfaces (e.g. plastic, wooden or parquet flooring, rugs and carpets).

We cannot accept liability for any abrasion damage to flooring.

08 Hand rims and hand rim options (not in combination with Xtrends wheels)

CODE	DESCRIPTION	
<input type="checkbox"/> 494	Aluminium, not in conjunction with Active wheel CODE 695	24"
<input type="checkbox"/> 493	Brightly polished stainless steel	24"
<input type="checkbox"/> 871	Double hand rims for seat widths up to 480 mm Only in conjunction with PU tyres CODE 902 Not in conjunction with drum brakes CODE 706	24" x 1"
<input type="checkbox"/> 168	Optigripp special hand rims for tetraplegics, including wide hand rim clearance CODE 693	24"
<input type="checkbox"/> 166	Silicone hand rim cover, smooth, black not in conjunction with Active wheel CODE 695	24"
<input type="checkbox"/> 692	Narrow hand rim clearance	24"
<input type="checkbox"/> 693	Hand rim clearance 25 wide	24"
<input type="checkbox"/> 849	Curve L, aluminium black powder coated, ergonomic hand rim profile, H 31 mm, only in conjunction with Active wheel CODE 695 and standard wheel CODE 651 and 2651	
<input type="checkbox"/> 850	Curve L Tetra Grip, slip-resistant coating, aluminium, suitable for tetraplegics, ergonomic hand rim profile, H 31 mm, only in conjunction with Active Wheel CODE 695 and standard wheel CODE 651 and 2651	
<input type="checkbox"/> 853	GEKKO, aluminium black powder coated with replaceable rubber lip, ergonomic hand rim profile, H 31 mm, only in conjunction with Active wheel CODE 695 and standard wheel CODE 651 and 2651	

Total width hand rim clearance see enclosed information.

09 Seat belt (standard seat belt as standard) / seat cushion

CODE	DESCRIPTION	
<input type="checkbox"/> 247	Seat belt sag tension-adjustable	
<input type="checkbox"/> 560	Seat cushion, Trevira CS	30 mm
<input type="checkbox"/> 561	Seat cushion, Trevira CS	60 mm

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

10 Brakes

CODE	DESCRIPTION
<input type="checkbox"/> 651	Pressure brake for user
<input type="checkbox"/> 650/60	One-hand pressure brake left (incl. brake lever long, hinged), not in conjunction with CODE 100 and CODE 748
<input type="checkbox"/> 650/74	One-hand pressure brake right (incl. brake lever long, hinged), not in conjunction with CODE 100 and CODE 748
<input type="checkbox"/> 681	Brake lever extension, hinged
<input type="checkbox"/> 680/706	Pressure brake for user and drum brake for attendant
<input type="checkbox"/> 986	Attachable brake lever extension
<input type="checkbox"/> 73	Side panel brake, brake integrated in clothing guard. Only in conjunction with CODE 100

11 Back strap height (BH)

CODE	DESCRIPTION	HEIGHT
<input type="checkbox"/> 434/575	Back strap, adjustable via hook and loop fasteners	340 mm
<input type="checkbox"/> 436/575	Back strap, adjustable via hook and loop fasteners	360 mm
<input type="checkbox"/> 438/575	Back strap, adjustable via hook and loop fasteners	380 mm
<input type="checkbox"/> 635/575	Back strap, adjustable via hook and loop fasteners	400 mm
<input type="checkbox"/> 442/575	Back strap, adjustable via hook and loop fasteners	420 mm
<input type="checkbox"/> 444/575	Back strap, adjustable via hook and loop fasteners	440 mm
<input type="checkbox"/> 2046/575	Back strap, adjustable via hook and loop fasteners, not in conjunction with push handle CODE 502	460 mm
<input type="checkbox"/> 634/575	Back strap, adjustable via hook and loop fasteners, not in conjunction with push handle CODE 502	480 mm
<input type="checkbox"/> 637/575	Back strap, adjustable via hook and loop fasteners, not in conjunction with push handle CODE 502	500 mm
<input type="checkbox"/> 983/575	Telescopic back height adjustment in four 15 mm increments, back strap adjustable via hook and loop fasteners, not in conjunction with push handle CODE 502	350 - 410 mm
<input type="checkbox"/> 984/575	Telescopic back height adjustment in four 15 mm increments, back strap adjustable via hook and loop fasteners, not in conjunction with push handle CODE 502	400 - 460 mm

12 Backrest angle

CODE	DESCRIPTION
<input type="checkbox"/> 621	Back without lumbar contour
<input type="checkbox"/> 622	Back with lumbar contour
<input type="checkbox"/> 29	Back, angle-adjustable from seat surface, +/-10° in 5° increments, from back height 380 mm up. Not in conjunction with lumbar contour CODE 622

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

Backrest options

CODE	COMPATIBLE WITH CODE...	621	622	502
<input type="checkbox"/> 410	Push handles long	●	●	
<input type="checkbox"/> 413	Push handles short, not in conjunction with pushbar CODE 814 Not in conjunction with drum brake Code 706	●	●	
<input type="checkbox"/> 502	Push handle, mounted on back tube, infinitely variable height adjustment up to 170 mm	●	●	
<input type="checkbox"/> 814	Transverse pushbar, stabilises the back in the event of greater strain. Only in conjunction with push handle long CODE 410	●	●	●
<input type="checkbox"/> 238	Stabilising bracket for the back, folds with chair. Not in conjunction with push handle CODE 502. Recommended from SW 460 up!	●	●	
<input type="checkbox"/> 913	Headrest, 300 mm infinitely variable height adjustment, only in conjunction with pushbar CODE 814	●	●	●
<input type="checkbox"/> 2032	ErgoSeat Pro chest pelottes, small, pair. Recommended with back heights of 300 - 400 mm			
<input type="checkbox"/> 2021	ErgoSeat Pro chest pelottes, large, pair. Recommended with back heights of 400 - 500 mm			

13

Side panels and armrests

Please observe the marked functional properties!

1 = fixed 2 = swivel up 3 = detachable 4 = lockable 5 = height-adjustable armrest 6 = with wheel covering
7 = space-saving swivel in

CODE	DESCRIPTION	1	2	3	4	5	6	7
<input type="checkbox"/> 21	Reinforced side panel, push-button controlled height-adjustable armrest, extra long, suitable for therapy table		●	●	●	●		●
<input type="checkbox"/> 81	Side panel incl. armrests height-adjustable, short, suitable for therapy table			●	●	●		●
<input type="checkbox"/> 748	Aluminium side panel in frame colour, with cold weather liner incl. height-adjustable armrest (screw-retained), incl. 45 mm wheel covering. Not in conjunction with one-hand pressure brake Code 650	●					●	
<input type="checkbox"/> 100	Aluminium side panel in frame colour with cold weather liner, not in conjunction with one-hand pressure brake CODE 650	●					●	
<input type="checkbox"/> 98	Aluminium side panel in frame colour, with cold weather liner and 50 mm wheel covering							

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

14 Legrests and footrests

CODE	DESCRIPTION	DEPTH	LOWER LEG LENGTH
<input type="checkbox"/> 54	One-piece footrest, 60 mm depth-adjustable (in four steps), in frame colour, flip-up, height and angle-adjustable	150 mm	380 - 520
<input type="checkbox"/> 87	One-piece footrest, flip-up, 15 mm depth-adjustable, in frame colour, height and angle-adjustable, up to SW 480 mm	100 mm	380 - 520
<input type="checkbox"/> 4312	Stable aluminium profile LED footrest incl. headlamp and tail light in frame colour, one-piece, height, depth and angle-adjustable, incl. Bluetooth module (from seat width 360 mm up)		
<input type="checkbox"/> 4313	Stable aluminium profile LED footrest incl. headlamp and tail light in frame colour, one-piece, height, depth and angle-adjustable (from seat width 360 mm up)		

Required lower leg length in mm (measured without seat cushion)
Factory default setting of lower leg length from 380 to 520 mm depending on coding.

Footrest accessories

<input type="checkbox"/> 359	Calf strap
------------------------------	------------

15 Frame colours

CODE	DESCRIPTION
<input type="checkbox"/> 130	Titanium grey
<input type="checkbox"/> 206	Matt black
<input type="checkbox"/> 212	Polar white
<input type="checkbox"/> 216	Jet black
<input type="checkbox"/> 224	Blue metallic
<input type="checkbox"/> 227	Red metallic
<input type="checkbox"/> 4919	Silverline
<input type="checkbox"/> 4040	Downtown grey
<input type="checkbox"/> 4041	Magic blue matt
<input type="checkbox"/> 4042	Blue metallic matt
<input type="checkbox"/> 4044	Red metallic matt

Other frame colours possible on request at a surcharge! See range of colours in introduction to catalogue.

CODE	DESCRIPTION	CHOICE OF FRAME COLOUR
<input type="checkbox"/> 2205	Caster fork and Varioblock in colour of choice. Not in conjunction with Hemi castor fork CODE 173/4906	<input type="text"/>

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

16 Back strap colours

<input type="checkbox"/>	287	Jet black, polyester
<input type="checkbox"/>	292	Net fabric, breathable, black (for back only)

17 Wheelchair accessories Hand protectors and spoke guards

CODE	DESCRIPTION
<input type="checkbox"/>	489 Transparent

Support castor wheels

<input type="checkbox"/>	728	Support castor wheels, one pair, swing-away
<input type="checkbox"/>	729	One support castor wheel, swing-away, left-mounted
<input type="checkbox"/>	730	One support castor wheel, swing-away, right-mounted
<input type="checkbox"/>	712	One support castor wheel, insertable, detachable left-mounted , only in conjunction with CODE 4930 stepper tube
<input type="checkbox"/>	713	One support castor wheel, insertable, detachable right-mounted , only in conjunction with CODE 4931 stepper tube
<input type="checkbox"/>	691	Support castor wheels, insertable, detachable (pair), only in conjunction with CODE 309 stepper tubes

Stepper tube

<input type="checkbox"/>	309	Stepper tubes (one pair)
<input type="checkbox"/>	4930	One stepper tube, left-mounted
<input type="checkbox"/>	4931	One stepper tube, right-mounted

Therapy tables only in conjunction with side panel CODE 21 and 81

<input type="checkbox"/>	929	Plastic therapy table, transparent, adjustable from 380 to 580 mm seat width
<input type="checkbox"/>	930	Therapy table for self-propelling user , plastic, transparent, push-on for defined seat width, with front upstand. Possible from SW 380 mm up.

Caution: With 24" wheels and a rear seat height of less than 470 mm, there is a resulting limitation in terms of armrest height with use of the therapy table Code 929/930

Please select by ticking the relevant boxes

Standard version: If no other selection is made, the standard version will be delivered.

Other accessories

<input type="checkbox"/>	833	Retainer strap with buckle
<input type="checkbox"/>	970	Walking aid holder in conjunction with stepper tube
<input type="checkbox"/>	819	Passive lighting
<input type="checkbox"/>	912	Tyre pump with bracket
<input type="checkbox"/>	936	Sliding transfer board, plastic, for changing seats
<input type="checkbox"/>	951	Accessory net
<input type="checkbox"/>	679	Folding fixture

* See separate order form for information on Ergo Seat Pro pelottes

Xtrends accessories

<input type="checkbox"/>	261519300	X-TREME backpack
<input type="checkbox"/>	261519600	Wheel bag "BLACK WHEEL CASE", suitable for max. 2 x 24" wheels or either 1 x 25" or 1 x 26" wheel
<input type="checkbox"/>	1074231	Wheel bag "MEYRA ACTIVE", suitable for max. 3 x 28" wheels
<input type="checkbox"/>	206964600	3M spoke reflectors
<input type="checkbox"/>	1080617	Tyre pressure monitoring system for four-wheel vehicles
<input type="checkbox"/>	1080618	Tyre pressure monitoring system for two-wheel vehicles

Date:

Signature:

USER DETAILS


First name*:	<input type="text"/>
Last name*:	<input type="text"/>
House no./street:	<input type="text"/>
Postcode:	<input type="text"/>
Town/City*:	<input type="text"/>
Country:	<input type="text"/>
Date of birth*:	<input type="text"/>
Diagnosis -1-:	<input type="text"/>
Diagnosis -2-:	<input type="text"/>
Tel. (landline):	<input type="text"/>
Tel. (mobile):	<input type="text"/>
eMail:	<input type="text"/>
Order no.:	<input type="text"/>

Please note that fields marked * are mandatory!

BODY MEASUREMENTS (IN MM):

Please refer to the sketches in the enclosed information!

1) Seat depth*:	<input type="text"/>
2) Seat width*:	<input type="text"/>
3) Chest width:	<input type="text"/>
4) Chest depth:	<input type="text"/>
5) Elbow height:	<input type="text"/>
6) Arm pit height:	<input type="text"/>
7) Back height:	<input type="text"/>
8) Head height:	<input type="text"/>
9) Forearm length:	<input type="text"/>
10) Lower leg length*:	<input type="text"/>
Height*:	<input type="text"/>
Weight (kg)*:	<input type="text"/>



All seat dimensions are always measured without seat cushion!

I hereby confirm that all details are complete and correct.
 I consent to the information/data I provide and the pictures/videos taken of me being passed on to MEYRA GmbH (Meyra-Ring 2, D-32689 Kalletal) and specialist retailer for the purposes of implementing the contract/manufacturing the product.

.....
 Date/signature

It is hereby confirmed that all details are complete and correct.


.....
 Date/signature of the specialist retailer




03
CODE 325




03
Article 1072386



07
CODE 154




07
CODE 161




07
CODE 651




07
CODE 848




07
CODE 695



07
Article 1068705



07
Article 1068712




07
Article 1068713




08
CODE 849



08
CODE 850



08
CODE 853



12
CODE 814



12
CODE 238



13
CODE 21



13
CODE 81




13
CODE 748



13
CODE 100



14
CODE 54



14
CODE 87

06 Horizontal drive wheel position (setting centre of gravity)

USER TYPE	PASSIVE		AVERAGE		ACTIVE
Position	A	B	C	D	
Distance * in mm	25	40	55	70	

* Measurement: Centre of back tube to centre of axle in mm

08 Total width in mm with narrow hand rim clearance

SEAT WIDTH	360	380	400	430	460	480	500	530	580
with 0° wheel camber (mm)	560	580	600	630	660	680	700	730	780
with 3° wheel camber (mm)	610	630	650	680	710	730	750	780	830
Size when folded with 0° wheel camber	280								
Size when folded with 3° wheel camber	330								

Total width in mm with drum brake and 0° wheel camber

Ready to move	SW + 210
Size when folded	300

1. GENERAL - SCOPE OF APPLICATION

1.1. The following trading and delivery terms and conditions (T&C) of the company MEYRA GmbH shall be valid for all contracts concluded with the customers of the company. They shall also apply to all future transactions with the customer, even without a separate new agreement.

1.2. The customer accepts the T&C of MEYRA GmbH as binding for the present contract and also for all future contracts. Terms and conditions of the customer or third parties shall not apply. MEYRA GmbH shall not be bound by such terms and conditions, even if they are not expressly contradicted again in the individual case.

1.3. These conditions shall only apply if the customer is an entrepreneur (§ 14 German Civil Code, BGB), a legal entity under public law or a special fund under public law.

2. OFFER, CONCLUSION OF CONTRACT

2.1. MEYRA GmbH offers are subject to alteration and non-binding, unless they are expressly designated as binding.

2.2. MEYRA GmbH can accept orders or commissions of the customer within 14 days of receipt by confirming the offer in writing.

2.3. Confirmation of the offer in writing constitutes conclusion of the contract; this shall also apply to any alterations or additions to the orders.

2.4. We reserve ownership rights and copyrights to all documents provided to the customer in connection with the placing of the order. These documents may not be made accessible to third parties without our express written consent. Where we do not accept the customer's offer within the period specified in 2.2, these documents must be returned to us without delay.

3. PRICES

3.1. Prices are calculated exclusively in EURO. All prices are net prices. The respective statutory amount of value added tax shall be paid in addition.

3.2. Unless agreed otherwise in writing, our prices are ex works excluding packaging and shipping. Packaging and shipping costs shall be invoiced separately.

3.3. Insofar as list prices are used as a basis, the price list valid at the time the order is placed shall apply. Price changes shall be permissible if more than four months lie between the conclusion of the contract and the agreed delivery date. In the event of wages or material costs increasing thereafter until completion, we shall be entitled to increase the price appropriately in line with the cost increases. The customer shall only be entitled to withdraw from the contract if the price increase significantly exceeds the increase in the general cost of living between order and delivery.

3.4. For follow-up orders, MEYRA GmbH shall not be bound to the prices from a previous contract.

3.5. If the order value is below 150.00 € net value of goods, a minimum quantity surcharge of 9.50 € including freight shall be charged.

4. DISPATCH, TRANSFER OF RISK

4.1. The place of performance for deliveries is the registered office of MEYRA GmbH, unless expressly agreed otherwise.

4.2. If the goods are dispatched to the customer at the customer's request, the risk of accidental loss or accidental deterioration of the goods shall pass to the customer as soon as the goods (including partial deliveries) have been handed over to the third party designated to carry out the dispatch. This shall apply irrespective of whether the goods are dispatched from the place of performance or who bears the freight costs.

4.3. In the event of claims due to transport damages or losses being asserted against MEYRA GmbH, the customer must note the damage on the freight documents or, in the event of losses, arrange for this to

be recorded immediately and notify us of this within one week.

4.4. Insurance against transport damage shall only be taken out at the express request and expense of the customer.

4.5. In the event of delays in handover or dispatch for which the customer is responsible, the risk shall pass to the customer upon notification of readiness for dispatch.

4.6. Where the customer specifies no specific instructions, the choice of the transport route and means shall be made by MEYRA GmbH, without guarantee and liability for the cheapest and fastest mode of dispatch.

5. DELIVERY TIME, SCOPE OF DELIVERY

5.1. Prospective delivery periods are to be understood as estimated delivery periods, unless a specific date has been expressly stipulated in writing.

5.2. If the parties have agreed a delivery period, this shall commence on the date the order is confirmed. The delivery period shall be deemed to have been observed if the goods have left the factory or notification of readiness for dispatch has been given by the end of the delivery period.

5.3. Compliance with agreed delivery and performance dates assumes the timely receipt of all documents to be provided by the customer as well as the timely provision of all necessary information and the fulfilment of all other obligations by the customer. Should these conditions not be fulfilled on time, the deadlines shall be extended accordingly.

5.4. MEYRA GmbH shall not be liable for delays in delivery arising from force majeure or other events not foreseeable at the time of the conclusion of the contract (e.g. strike, operational disturbances, delayed delivery by our own suppliers, transport delays, unfavourable weather conditions, etc.) for which it is not responsible. The delivery period shall be extended by the duration of the temporary hindrance to performance for which MEYRA GmbH is not responsible, plus a reasonable period for resumption.

5.5. If the resulting delays exceed a period of six weeks, both parties to the contract shall be entitled to withdraw from the contract with regard to the scope of performance concerned.

5.6. MEYRA GmbH shall be entitled to make partial deliveries insofar as the partial delivery is usable for the customer within the scope of the contractual purpose, the delivery of the remaining goods is guaranteed and no additional costs arise for the customer as a result.

6. PAYMENT

6.1. Invoice amounts must be paid in full to one of the bank accounts specified by us within 30 days of receipt of the invoice. If the invoice is not for a spare part delivery or a repair invoice, the customer shall be entitled to a 2 % discount if payment is made within eight days of receipt of the invoice.

6.2. We shall only accept cheques and bills of exchange if this has been expressly agreed beforehand. Acceptance shall be on account of performance. Invoice adjustments for cheques and bills of exchange are subject to redemption. The value shall be credited effective as of the day we have access to the equivalent amount.

6.3. If the customer fails to pay on the due date, the outstanding amounts shall bear interest at 8 % p.a. above the respective base interest rate. We reserve the right to assert higher damages caused by default.

6.4. In the event of the customer being in arrears with a payment, all other claims based on the same legal relationship shall become due for payment immediately without the need for separate notification.

6.5. The customer shall only be entitled to offset if his counterclaims have been legally established or are undisputed. The customer shall only be authorised to exercise a right of retention insofar as his counterclaim

is based on the same contractual relationship.

6.6. MEYRA GmbH shall be entitled to assign its claims from deliveries and services.

7. RETENTION OF TITLE

7.1. The goods delivered by MEYRA GmbH shall remain the property of MEYRA GmbH until complete settlement of all claims against the customer, including future claims.

7.2. The customer may sell the reserved goods in the ordinary course of business. He shall not be entitled to dispose of the goods in any other way, in particular by way of security assignment or pledge. The claims of the customer arising from the resale of the reserved goods (including other claims such as insurance claims or claims arising from unlawful acts in the event of loss or destruction) are hereby assigned to MEYRA GmbH by way of security. MEYRA GmbH accepts the assignment. The customer is entitled to collect the assigned claim as long as he fulfils his payment obligations. In the event of the customer being in default of payment, we shall be entitled to revoke the collection authorisation.

7.3. If the reserved goods are processed by the customer, it is hereby agreed that the processing shall take place in the name and for the account of MEYRA GmbH as manufacturer and that MEYRA GmbH shall directly acquire ownership or - if the processing takes place from or in connection with materials of several owners or the value of the processed item is higher than the value of the delivered goods - co-ownership (fractional ownership) of the newly created item in the ratio of the value of the subject of delivery to the value of the newly created item. If MEYRA GmbH loses its property through combination or commingling, or if it should not become the owner of the subject of delivery in the case of processing, the customer shall hereby in advance transfer to MEYRA GmbH a co-ownership share in the uniform item corresponding to the proportional value of the subject of delivery. MEYRA GmbH hereby accepts the offer. The delivery shall be replaced by gratuitous custody.

7.4. The customer is obliged to inform us immediately of any access by third parties to the goods delivered under retention of title and to provide us with the information and documents required to assert our rights. At the same time the customer shall inform the third party of MEYRA GmbH's right of ownership without being called upon to do so. Any costs arising in this connection shall be borne by the customer.

7.5. MEYRA GmbH undertakes to release the securities to which it is entitled at the customer's request insofar as they exceed the value of the claims to be secured by more than 20%. The selection of the securities to be released is incumbent upon MEYRA GmbH.

7.6. In the event of an insolvency petition concerning the customer, we hereby prohibit the resale or processing of our reserved goods and revoke our authorisation to collect the claims assigned to us.

7.7. In the event of default in payment by the customer, we shall be entitled to demand immediate surrender of the reserved goods.

8. GUARANTEE / LIABILITY

8.1. The customer shall inspect the delivered goods immediately upon delivery. Insofar as obvious defects are concerned or defects that would have been found in the course of a thorough inspection, the customer must notify us of complaints in writing within one week of receipt of the delivery. After expiry of this period, any liability for these defects shall be excluded. Guarantee claims for concealed defects shall only exist if they are notified to us in writing within one week of being detected.

8.2. In cases of defective delivery, we shall have the right, at our discretion, to repair the defective item or to replace it with a new delivery free of defect. The customer is obliged to make the defective item available to us free of charge for inspection and rec-

tification. If the rectification of defects or subsequent delivery does not succeed, if it is not provided within a reasonable period of time or if it is rejected by us, the customer may, at his discretion, withdraw from the contract or reduce the purchase price. It is not necessary to set a time limit in cases where this is not required by law.

8.3. The guarantee shall lapse if the customer changes the subject of delivery or has it changed by third parties without our consent and the removal of the defect is thereby rendered impossible or unreasonably difficult. The customer shall, however, in any case bear the additional costs of remedying the defect incurred as a result of the change.

8.4. Any guarantee which we may assume towards the first user of the rehabilitation equipment shall not be affected by the above provisions.

8.5. Excluded from the warranty is the function-related wear of all articles, assemblies, batteries and spare parts supplied by us, as well as the inappropriate or improper storage, use or handling of the goods.

8.6. Further claims of the customer, in particular for damages instead of performance and for compensation of any other direct or indirect damage - including accompanying or consequential damage, irrespective of the legal basis - are excluded. This shall not apply if MEYRA GmbH has fraudulently concealed a legal or material defect or if the damage is based on intent or gross negligence of MEYRA GmbH, its legal representatives or vicarious agents or a negligent violation of essential contractual obligations exists. Essential contractual obligations are such obligations of which the fulfilment is essential for the proper execution of the contract and on the observance of which the contractual partner regularly relies and may rely. In the case of damage to property and financial losses caused by slight negligence, however, the liability of MEYRA GmbH to pay compensation is limited in amount to foreseeable damage typical for this type of contract. Furthermore, physical injury and/or damage to health caused by a culpable breach of duty on the part of MEYRA GmbH, its legal representatives or vicarious agents are not excluded.

8.7. Liability under the German Product Liability Act (Produkthaftungsgesetz) remains unaffected.

9. LIMITATION

Claims of the customer on account of material defects shall become time-barred two years after handover/delivery of the goods to the customer. The period of limitation for replacement devices and repairs shall be one year from handover/delivery of the goods to the customer. Excluded from this are claims for damages due to injury to life, limb or health and/or claims for damages on account of grossly negligent or intentionally caused damage by MEYRA GmbH or its vicarious agents. In this respect, the statutory limitation periods shall apply.

9.1. REPLACEMENT DEVICE SERVICE

Irrespective of the guarantee, MEYRA GmbH shall offer its customers the option of replacing defective devices with refurbished ones. The following provisions shall apply in respect of these devices offered in exchange:

- Replacement devices are refurbished and technically in order.

- The defective device must be returned to MEYRA GmbH

free of charge within 15 working days.

The returned device shall become our property.

- If the device is not returned, we shall charge 95% of the new retail price for the replacement device delivered.

- The returned device must correspond to the type and design of the delivered replacement device.

Moreover the device must be reusable

and may only show signs of wear appropriate to normal use.

- It is incumbent upon MEYRA GmbH to assess whether the returned device fulfils the aforementioned conditions.

Should the conditions not be met, we shall also charge the aforementioned amount less the residual value of the returned device for the delivered replacement device.

10. PRODUCT SAFETY

10.1. PRODUCT RECALL

In the event of a product recall being necessary on account of a defect in the delivered goods or due to existing legal obligations, the customer is obliged to cooperate in implementing the product recall in order to enable an efficient execution thereof. In particular, the customer is obliged in the event of a necessary product recall to inform MEYRA GmbH about the whereabouts of the subjects of delivery in the further supply chain up to the end customer. For this purpose, the customer must maintain suitable documentation on an on-going basis about the whereabouts of the goods and make this available to MEYRA GmbH on request. Insofar as the customer supplies the delivered goods to resellers, the customer is obliged to contractually impose on the reseller the obligations to cooperate specified here in order to ensure the execution of an efficient product recall.

10.2. The customer is obliged to instruct end customers in the handling and use of the delivered products by trained specialist staff. Insofar as the customer supplies the delivered goods to resellers, the customer is obliged to contractually impose on the reseller the duty to instruct in handling and use of the delivered product specified here.

11. LIABILITY FOR CONSTRUCTIONAL MODIFICATIONS

Attention is drawn to the fact that stricter statutory provisions apply in the case of MY INDIVIDUAL. Constructional modifications of MEYRA GmbH articles by the customer or a third party commissioned by him are only permissible if they comply with the safety requirements and have previously been consented to in writing by our management. For this purpose, a modified model and a design drawing shall be made available to us on request. In the event of constructional changes being made without the written consent of our management and damage arising to third parties as a result of the changes for which we are liable in the external relationship, the customer is obliged to indemnify us in the internal relationship against all claims of the third party.

12A. RETURN OF FINISHED PRODUCTS AND ASSEMBLIES

Goods returned without an enclosed copy of the delivery note or invoice will not be accepted for return. Goods returned (in their original packaging and absolutely as new) will be credited with 80% of the net value of the goods. Excluded from return are articles delivered more than three months previously, MY INDIVIDUAL, hygiene products, used and/or filled batteries and articles under EUR 100.00 net commodity value. Individually manufactured wheelchairs (e.g. children's and adaptive wheelchairs) are likewise excluded. The sender shall bear the transport risk. Any cleaning and/or disinfection costs incurred in connection with approved returns will be charged at a flat rate of at least EUR 79 net.

12B. ORDER CANCELLATIONS FOR FINISHED PRODUCTS

12B.1 It is not possible to cancel orders without the prior consent of MEYRA GmbH.

12B.2 Cancellations must be made in writing.

12B.3 If the cancellation of finished, deliverable products has been approved, the following shall apply:

- Rehabilitation articles will be credited in full.

Custom wheelchairs and sports wheelchairs will not be accepted for cancellation.

- In the event of cancellation of adaptive wheelchairs, 20% of the net value of the goods will be retained.

The cancellation fee for power chairs and scooters is 5%. A 10% cancellation fee will be charged for standard and lightweight wheelchairs.

12C. RETURN / DISPOSAL

Our prices are exclusive of the costs for the return and disposal of complete old devices of users other than private households. On request, we shall also organise the return and reuse/disposal of such devices, insofar as these were sold by us, against reimbursement of the costs incurred. Returns are not possible without the prior consent of MEYRA GmbH.

13. USE OF PERSONAL DATA

We are entitled to store personal data about the customer within the scope of the legal provisions, in particular the General Data Protection Regulation, and to process such data within the company.

14. PLACE OF JURISDICTION, APPLICABLE

law, severability clause

14.1. Unless expressly agreed otherwise, the place of performance shall be the registered office of MEYRA GmbH in Kalletal-Kalldorf.

14.2. For all legal disputes arising from the contractual relationship, the place of jurisdiction shall be determined by our registered office in Kalletal-Kalldorf. We are also entitled to bring legal action against the customer at his place of jurisdiction.

14.3. The law of the Federal Republic of Germany shall apply while excluding the UN Convention on Contracts for the International Sale of Goods.

14.4. Should individual provisions of these Terms and Conditions be wholly or partially void or ineffective, the validity of the remaining provisions shall remain unaffected.