

EUROCHAIR XXL 1.760



Authorised user weight
up to 200 kg



Authorised for car client transport!
Tested according to ISO7176-19 (max. user
weight of 136 kg)






Highly durable



Footrest



Increased stability



Leg rests can be swung inwards and outwards

Maximum stability

COST EFFECTIVENESS

- the range ensures that there is no need for custom-made articles for large and heavy users
- as a fully equipped chair for active, long-term use in everyday life, this model is versatile and adjustable to the individual user
- the specific use of rigid connecting components in the frame gives the folding wheelchair the stability it needs for this purpose
- long-term supply of spare parts thanks to extensive network of specialist retailers
- ideal for reuse thanks to simple adjustment

THERAPEUTIC BENEFITS

- easier to use thanks to numerous adjustment settings for the chassis the grip angle is ergonomically designed to relieve the shoulders
- improved effectiveness increases independence and facilitates optimum utilisation of existing propulsion power, easier movement, high manoeuvrability
- a horizontal push bar and/or one-piece footrest ensure that the user receives maximum support while sitting

APPLICATIONS

- particularly suitable for heavy persons
- designed for long-term care with high adjustability for independent mobility
- predominantly for domestic use, but also useful in rehabilitation clinics for achieving therapeutic goals
- can be used with various forms of propulsion

ORDER

QUOTATION

CUSTOM-MADE VERSION

Please fax your completed order form to: +49 (0) 5733 922 9311 Customer service: +49 (0) 5733 922 311

Invoice address/customer no.:

Delivery address:

Consignment/remarks:

MEYRA®



Example model



Authorised user weight
up to 200 kg



Authorised for car client transport!
Tested according to ISO7176-19 (max.
user weight of 136 kg)

EUROCHAIR XXL 1.760

All prices exclude VAT at the statutory rate. Valid from 01.01.2019 to 31.12.2019.
Our general terms and conditions apply, which can be found on www.meyra.de/en/gtc.



Technical data

Seat width	500	530	580	650
Width when ready for use	680	710	760	830
Width folded	280			
Seat depth	430 / 460 / 500			
Seat height front/rear	variable between 430 and 515			
Overall height	960			
Back height	420 / 440			
Armrest height	230			
Length with footrests	max. 1,070			
Length without footrests	max. 840			

User weight	160 / 200
Empty weight	16
Permitted overall weight	176
Transport weight	10
Rear wheel	610 (24")

Dimensions in mm (1 inch = 25.4 mm), weights in kg (1 pd = 0.45 kg),
speed in km/h (1 mph = 1.61 km/h), tolerance ± 10 mm / 0.39 inch
The specifications are subject to constructional changes.

Caution!

Please note when using public transport (e.g. trains): the dimensions of the wheelchair may exceed the transport company guidelines. Please enquire beforehand.

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

01 Seat width (SW)

CODE	DESCRIPTION
<input type="checkbox"/> 350/903	SW 500 mm User weight up to 160 kg
<input type="checkbox"/> 53/903	SW 530 mm User weight up to 160 kg
<input type="checkbox"/> 358/903	SW 580 mm User weight up to 160 kg Only in combination with horizontal push bar, CODE 814
<input type="checkbox"/> 265/903	SW 650 mm User weight up to 160 kg Only in combination with horizontal push bar, CODE 814
<input type="checkbox"/> 35	2 in 1 version (+30 mm seat width)

Increased user weight

<input type="checkbox"/> 530	SW 500 to 650 mm	<p>Reinforced design for user weight of up to 200 kg For seat widths of 500, 530, 580 and 650 mm Only in combination with horizontal push bar, CODE 814, one-piece footrest, CODE 54, and drum brake for accompanying person, CODE 706 Suggested tyres: polyurethane tyres CODE 35 (2 in 1) omitted with selection of CODE 530</p>
------------------------------	------------------	---

02 Seat depth (SD)

CODE	DESCRIPTION
<input type="checkbox"/> 788/352	SD 430 mm
<input type="checkbox"/> 619/352	SD 460 mm
<input type="checkbox"/> 792/353	SD 500 mm

03 Seat height front (FSH) combined with castor and rear wheel (without seat cushion)

Please select your desired seat height by choosing a possible combination of seat height and wheel size (only 24 x 1 3/8" rear wheel).

CODE	Ø CASTOR IN MM	FSH IN MM:	430	435	450	470	485	500	515
325	Ø 125 mm solid rubber		<input type="checkbox"/>						
154	Ø 142 mm soft solid rubber			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
161	Ø 180 mm polyurethane							<input type="checkbox"/>	<input type="checkbox"/>

When FSH is selected then the standard castor and matching castor fork are automatically configured.
 The rear seat height follows automatically from the standard seat inclination of approx. 4°, which accounts for a difference of approx. 30 mm.

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

Front seat height option (FSH) for persons with hemiplegia

CODE	DESCRIPTION
<input type="checkbox"/> 4906	HEMI spacer block for castor fork turned outwards at the side, accessory kit to be used with 24" rear wheels

04 Seat cushion

CODE	DESCRIPTION
<input type="checkbox"/> 560	Seat cushion, black 30 mm

05 Rear wheel options

CODE	DESCRIPTION
<input type="checkbox"/> 880	60 mm Wheelbase extension

Horizontal rear wheel position (centre of gravity adjustment)

Manufacturer configures the horizontal axle position. Centre of gravity can be changed later.

06 Hand rims and hand rim options

CODE	DESCRIPTION	Ø
<input type="checkbox"/> 494	Aluminium, hand rim gap of 15 mm preset by manufacturer, adjustable to 25 mm	24"
<input type="checkbox"/> 166	Hand rim coating made of silicone, smooth, black	24"
<input type="checkbox"/> 692	Hand rim gap of 15 mm (adjustable to 25 mm)	24"

07 Tyres

CODE	DESCRIPTION	Ø
<input type="checkbox"/> 902	Puncture-resistant polyurethane tyres	24 x 1 3/8"

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

08 Brakes

CODE	DESCRIPTION
<input type="checkbox"/> 651	Pressure brake for driver
<input type="checkbox"/> 681	Brake lever extension
<input type="checkbox"/> 680/706	Pressure brake for driver and drum brake for accompanying person
<input type="checkbox"/> 986	Brake lever extension, attachable, 1 pair
<input type="checkbox"/> 650/74	Single-handed pressure brake, right-handed, including brake lever extension
<input type="checkbox"/> 650/60	Single-handed pressure brake, left-handed, including brake lever extension

09 Back strap height

CODE	DESCRIPTION	HEIGHT
<input type="checkbox"/> 628	Back strap, adjustable back. Not in combination with SW 650.	420 mm
<input type="checkbox"/> 442	Back strap, can be changed afterwards to a BH of 440 mm. Not in combination with the reinforced version CODE 530.	420 mm 440 mm
<input type="checkbox"/> 444	Back strap, can be changed afterwards to a BH of 420 mm. Not possible in combination with height adjustable push handles, CODE 502	440 mm 420 mm

10 Backrests

CODE	DESCRIPTION
<input type="checkbox"/> 622	Backrest with lumbar curve
<input type="checkbox"/> 621	Backrest without lumbar curve

Backrest options

CODE	COMPATIBLE WITH CODE...	621	622	502
<input type="checkbox"/> 502	Push handle, mounted on the back tube, progressive height adjustment up to 180 mm Only in combination with back strap height CODE 628 and 442 (400 / 420 mm)	●	●	
<input type="checkbox"/> 814	Horizontal push bar, stabilises back in the case of heavier loads	●	●	●

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

11 Side guards and armrests

Please note the marked functional features!

CODE	DESCRIPTION
<input type="checkbox"/> 577	Aluminium side guards in frame colour
<input type="checkbox"/> 70	Aluminium side guard in frame colour, long
<input type="checkbox"/> 107	Side guard including button for height adjustable and removable armrests, suitable for tetraplegics
<input type="checkbox"/> 917	Armrest spacer set for two-step height adjustment up to a maximum of 30 mm for the side guards CODE 70 and 577

12 Leg rests

removable
 swing-away
 swing-up

CODE	DESCRIPTION
<input type="checkbox"/> 94	Without leg rests and footrests
<input type="checkbox"/> 93	Leg rests, removable and swing-away
<input type="checkbox"/> 759	Leg rest CODE 93, mounted left
<input type="checkbox"/> 760	Leg rest CODE 93, mounted right
<input type="checkbox"/> 92	Leg rests, removable, swing-away and swing-up Only in combination with footrests CODE 805
<input type="checkbox"/> 757/760	Leg rest CODE 92 single, mounted left (with CODE 93 mounted right)
<input type="checkbox"/> 758/759	Leg rest CODE 92 single, mounted right (with CODE 93 mounted left)
<input type="checkbox"/> 4698	Knee cushion for CODE 92
<input type="checkbox"/> 52	Amputation leg rests, removable, swing-away and swing-up, 1 pair
<input type="checkbox"/> 4507	Amputation leg rest single, mounted right
<input type="checkbox"/> 4508	Amputation leg rest single, mounted left

13 Footrests

flip-up
 height adjustable
 depth adjustable
 angle adjustable

CODE	DESCRIPTION	DEPTH	LSL
<input type="checkbox"/> 798	Separate footrests, removable, angle adjustable (pair)	160	360 - 520
<input type="checkbox"/> 54	One-piece footrest, depth adjustable by 60 mm (in 4 steps), fold-up, height and angle adjustable	150	380 - 520

Required LSL in mm (measured without seat cushion)

Length adjustment by manufacturer of 350 - 520 mm available for calf depending on coding.

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

Footrest accessories

CODE	DESCRIPTION
<input type="checkbox"/> 822	Shoe positioning straps (pair)
<input type="checkbox"/> 823	Heel loops (pair)

14 Frame colours

CODE	DESCRIPTION
<input type="checkbox"/> 4919	Silverline

The EUROCHAIR XXL is available in all current colours for an extra charge and increased delivery time. See colour chart in the catalogue introduction

15 Seat and back strap colours

CODE	DESCRIPTION
<input type="checkbox"/> 287	Deep black, polyester

16 Wheelchair accessories Hand and spoke guard

CODE	DESCRIPTION
<input type="checkbox"/> 489	Transparent

Anti-tip wheels

<input type="checkbox"/> 691	Anti-tip wheels, length adjustable, removable (1 pair)
<input type="checkbox"/> 712	1 anti-tip wheel, length adjustable, removable, mounted left
<input type="checkbox"/> 713	1 anti-tip wheel, length adjustable, removable, mounted right
<input type="checkbox"/> 728	Anti-tip wheels, swing away to the side , length adjustable, removable (1 pair)
<input type="checkbox"/> 729	1 anti-tip wheel, swings away to the side , length adjustable, removable, mounted left
<input type="checkbox"/> 730	1 anti-tip wheel, swings away to the side , length adjustable, removable, mounted right

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

Shunting castors

- | | | |
|--------------------------|-----|---|
| <input type="checkbox"/> | 747 | 1 pair of shunting castors, no brakes, e.g. for tight spaces or on planes
Not in combination with anti-tip wheels CODE 728; 729 or 730 |
| <input type="checkbox"/> | 746 | 1 pair of shunting castors, can be braked, e.g. for tight spaces or on planes
Not in combination with anti-tip wheels CODE 728; 729 or 730 |

Therapy tables

- | | | |
|--------------------------|--------|---|
| <input type="checkbox"/> | 929 | Therapy table made of plastic, transparent, adjustable for 380 - 480 mm seat width |
| <input type="checkbox"/> | 930 | Therapy table for independent users , made of plastic, transparent, can be slotted on to certain seat widths, with raised edges at front |
| <input type="checkbox"/> | 931/60 | Therapy table, half-sized, on the left , made of plastic, transparent, ergonomically shaped |
| <input type="checkbox"/> | 931/74 | Therapy table, half-sized, on the right , made of plastic, transparent, ergonomically shaped |

Bei 24"-Rädern und einer hinteren Sitzhöhe kleiner als 470 mm ergibt sich beim Einsatz vom Therapietisch CODE 929/930 eine Einschränkung bei der Armlehnenhöhe, d.h. die Armlehne muss entsprechend höher eingestellt werden, da die niedrigste Armlehnenposition dann nicht möglich ist.

Other accessories

- | | | |
|--------------------------|-----|--|
| <input type="checkbox"/> | 951 | Accessory net (shopping net) |
| <input type="checkbox"/> | 819 | Passive lighting |
| <input type="checkbox"/> | 912 | Tyre pump with holder |
| <input type="checkbox"/> | 833 | Safety belt with lock |
| <input type="checkbox"/> | 970 | Crutch holder |
| <input type="checkbox"/> | 962 | Universal backpack with external compartment |
| <input type="checkbox"/> | 936 | Plastic sliding board for transferring |
| <input type="checkbox"/> | 585 | Infusion stand "UNIVERSAL" |

Date:

Signature:

1. GENERAL – SCOPE

1.1. The following General Terms and Conditions of Delivery and Trade (GTC) for MEYRA GmbH shall apply to all contracts concluded with customers of the company. They shall also apply to all future transactions with the customer, even in the absence of a separate new agreement.

1.2. The customer shall accept that the General Terms and Conditions of MEYRA GmbH are binding on the present contract and also on all future contracts. Terms and conditions of the customer or third party shall not apply. MEYRA GmbH shall not be subject to such terms and conditions, even if they are not expressly excluded in individual cases.

1.3. These General Terms and Conditions shall only apply if the customer is an entrepreneur (s. 14 of the German Civil CODE), a legal entity under public law or a separate fund under public law.

2. OFFER, CONCLUSION OF CONTRACT

2.1. Offers from MEYRA GmbH are subject to confirmation and non-binding unless expressly designated as binding.

2.2. MEYRA GmbH may accept orders or commissions from the customer within 14 days of receipt with an offer confirmation in text form.

2.3. The contract shall be concluded by means of the offer confirmation in text form; this shall also apply to any changes or additions to the orders.

2.4. We retain our rights of ownership and copyright with respect to all documents delivered to the customer in association with placing of the order. These documents may not be disclosed to third parties without our express written consent. Should we not accept the customer's offer within the period stipulated in section 2.2, these documents are to be returned to us without delay.

3. PRICES

3.1. Prices are calculated exclusively in euros. All prices are net prices. Value added tax at the respective statutory rate is to be paid in addition.

3.2. Unless otherwise stated to the contrary in writing, our prices are ex works, excluding packing and shipping. The costs of packing and shipping shall be invoiced separately.

3.3. Insofar as list prices are used as a basis, the price list valid at the time the order is placed shall apply. Price changes shall be permitted if there is a gap of more than four months between conclusion of the contract and the agreed delivery date. Should salaries or material costs increase in the period up to completion, we shall be entitled to increase the price appropriately in accordance with the cost increases. The customer shall be entitled to withdraw from the contract only if the price increase significantly exceeds the increase in the general cost of living between the time of the order and of delivery.

3.4. In follow-up orders, MEYRA GmbH shall not be held to the prices in a previous contract.

3.5. Should the order value fall below a limit of € 150.00 net goods value, a minimum-order surcharge of € 9.50 including freight component shall be levied.

4. SHIPMENT, PASSING OF RISK

4.1. The place of delivery shall be the registered premises of MEYRA GmbH insofar as nothing has been expressly agreed to the contrary.

4.2. If the goods are shipped to the customer at this location, the risk of accidental loss or accidental deterioration of the goods shall transfer to the customer as soon as the goods (including partial deliveries) have been handed over to the charge of the third party responsible for shipping. This shall apply irrespective of whether the goods are shipped from the place of performance or who bears the freight costs.

4.3. Should claims for transport damage or losses be asserted against MEYRA GmbH, the customer must note the damage on the shipping documents or, in the event of losses, create a record without delay which is to be shown to us within one week.

4.4. Insurance against transport damage shall only be taken out at the express request and expense of the customer.

4.5. In the event of delayed handover or shipping for which the customer is responsible, the risk shall pass to the customer upon notification of the shipment's readiness for shipping.

4.6. Should there be no special instructions from the customer, the choice of transport route and means of transport shall be made by MEYRA GmbH without warranty and liability for the cheapest and fastest shipping method.

5. DATE OF DELIVERY / SCOPE OF DELIVERY

5.1. Proposed delivery periods shall be understood to be probable delivery dates, unless a particular date has been expressly established in writing.

5.2. If the parties have agreed a delivery period, this shall commence from the date of the order confirmation. The delivery period shall be deemed to have been observed if, prior to its expiration, the goods have left the plant or their readiness for shipping has been communicated.

5.3. Compliance with agreed delivery and performance dates requires the timely receipt of all documentation to be provided by the customer as well as the timely provision of all necessary information and the fulfilment of all other obligations by the customer. Should these conditions not be fulfilled in good time, the periods shall be extended appropriately.

5.4. MEYRA GmbH shall not be liable for delays in delivery due to force majeure or other events which, at the time the contract was concluded, were unforeseeable (e.g. strike, operational breakdown, delayed internal supply, transport delay, unfavourable weather, etc.) for which it is not responsible. The delivery period shall be extended for the duration of the obstacle to performance for which MEYRA GmbH is not responsible, plus a reasonable recovery period.

5.5. Should the resulting delay exceed a period of six weeks, both parties shall have the right to withdraw from the contract with regard to the scope of performance.

5.6. MEYRA GmbH shall be entitled to make partial deliveries provided that the partial delivery can be used by the customer within the scope of the contractual provision, the delivery of the remaining goods is guaranteed and the customer does not incur any additional costs as a result.

6. PAYMENT

6.1. Invoice amounts shall be paid in full within 30 days of receipt of the invoice into one of the bank accounts stipulated by us. However, where the invoice is not for the delivery of spare parts or repairs, the customer shall be entitled to a discount of 2% if payment is made within eight days of receipt of the invoice.

6.2. Cheques and bills shall only be accepted with express agreement. Acceptance is conditional on performance. Invoice corrections via cheques and bills are subject to payment. Values are taken on the day on which we finally have the proceeds at our disposal.

6.3. Should the customer fail to make the payment on the due date, any outstanding amounts shall be subject to interest at 8% above the respective base rate per annum. We reserve the right to enforce higher damages due to a delay in payment.

6.4. Should the customer default on payment, then all other receivables arising from the same legal

relationship shall immediately become payable without the need for a separate communication.

6.5. The customer shall only be entitled to offset in the event that its counterclaims have been legally established or are undisputed. The customer shall only be entitled to exercise a right of retention insofar as its counterclaim is based on the same contractual relationship.

6.6. MEYRA GmbH shall be entitled to assign its claims from deliveries and services.

7. RETENTION OF TITLE

7.1. The goods supplied by MEYRA GmbH shall remain the property of MEYRA GmbH until full payment of all present and future claims against the customer.

7.2. The customer may sell the reserved goods in the ordinary course of business. It is not entitled to make other disposals, in particular chattel mortgages and pledges. The claims of the customer arising from the resale of the reserved goods (including other receivables such as insurance claims or tort claims for loss or damage) shall be assigned to MEYRA GmbH by way of security. MEYRA GmbH shall accept the assignment. The customer shall be entitled to collect the assigned claim as long as it fulfils its payment obligations. In the event that it defaults on payment, we shall be entitled to revoke the collection authorisation.

7.3. Should the reserved goods be processed by the customer, it is hereby agreed that the processing shall take place in the name of and at the cost of MEYRA GmbH as the manufacturer and that it shall immediately acquire ownership or – if the processing is carried out using or in connection with materials from several owners or the value of the processed item is greater than the value of the delivered goods – co-ownership (fractional ownership) of the newly created item in the ratio of the value of the delivered goods to the value of the newly created item. Should MEYRA GmbH lose its ownership through consolidation or commingling or if, in the case of processing, it is not the owner of the delivered goods, the customer shall transfer to MEYRA GmbH in advance an appropriate co-ownership share in the new item equivalent to the proportionate value of the delivered item. MEYRA GmbH shall hereby accept the offer. The delivery shall be replaced by a gratuitous deposit.

7.4. The customer shall be obliged to notify us immediately of access by third parties to the goods delivered under retention of title and to provide us with the information and hand over the documentation required to enforce our rights. At the same time, the customer is to inform the third party without being asked of MEYRA GmbH's ownership. Any costs incurred from this shall be borne by the customer.

7.5. MEYRA GmbH shall be obliged to release the securities due to it at the request of the customer insofar as they exceed the value of the secured claims by more than 20%. The selection of the securities to be released is incumbent upon MEYRA GmbH.

7.6. In the event of a bankruptcy petition relating to the customer, we shall now prohibit the resale or processing of our reserved goods and shall revoke our collection authorisation with respect to the claims assigned to us.

7.7. In the event of delayed payment by the customer, we shall be entitled to demand the immediate return of the reserved goods.

8. WARRANTY / LIABILITY

8.1. The customer must inspect the delivered goods immediately upon delivery. Insofar as it relates to obvious defects or defects that would have been found during a thorough inspection, the customer

must notify us in writing of any complaints within one week of receipt of delivery. After expiry of this period, any liability for such defects is excluded. In the event of concealed defects, warranty claims shall only be valid if we are notified in writing within one week of discovery.

8.2. In cases of defective delivery, we shall have the right to choose to repair the defective item or to replace the defective item with a new delivery. The customer is obliged to provide us the defective product delivered free for inspection and repair. Should the repair or replacement delivery be unsuccessful, should they not be undertaken with a reasonable period or should we refuse to undertake them, the customer may withdraw from the contract or reduce the purchase price. A deadline shall not be required in those cases where it is not required by law.

8.3. The warranty shall be void if the customer modifies the delivery item without our consent or it is changed by a third party and it therefore becomes impossible or unreasonably difficult to rectify the defect. However, in each case, the customer must bear the additional costs resulting from the rectification of the defect.

8.4. The above regulations shall not affect any warranty that we assume on the part of the first user of the rehabilitation equipment.

8.5. Excluded from the warranty is the function-related wear of all items, modules, batteries and spare parts supplied by us as well as the inappropriate or improper storage, use or handling of the products.

8.6. Further claims by the customer, in particular for damages instead of performance and for reparation of any direct or indirect damage – including incidental or consequential damages, irrespective of the legal grounds – shall be excluded. This shall not be the case if MEYRA GmbH has concealed a legal or material defect maliciously or the damage is due to intent or gross negligence on the part of MEYRA GmbH, its legal representatives or vicarious agents or to any negligent breach of essential contractual obligations. Essential contractual obligations are understood to be those where their fulfilment enables the proper execution of the contract and on compliance with which the contracting parties regularly rely or may rely. In the case of damage to property and assets due to negligence, the liability of MEYRA GmbH shall however be restricted to an amount foreseeable in a typical contract. Furthermore, personal injury or damage to health caused by a breach of duty on the part of MEYRA GmbH, its legal representatives or vicarious agents are not excluded.

8.7. Liability under the *Produkthaftungsgesetz* [German Product Liability Act] is unaffected.

9. STATUTE OF LIMITATIONS

Claims by the customer relating to defects shall have a limitation period of two years from handover / delivery of the goods to the customer. With respect to replacement items and repairs, the limitation period shall be one year from handover / delivery of the goods to the customer. Excluded from this are claims for damages due to endangerment of life, personal injury or health and / or claims arising out of damages caused by gross negligence or intent on the part of MEYRA GmbH or its vicarious agents. In such instances, the statutory limitation periods shall apply.

9.1. REPLACEMENT PRODUCT SERVICE

Independent of the warranty, MEYRA GmbH offers customers the opportunity to exchange a defective product for a refurbished product. The following provisions shall apply to the products offered as replacements:

- Replacement products are refurbished and technically in order.
- The defective product must be returned free of charge to MEYRA GmbH within 15 working days.

The returned item shall become our property.

- Should the defective product not be returned, we shall invoice the customer for the replacement item at 95% of the sales price for a new product.
- The returned item must correspond to the replacement product in model and design. The product must also be reusable and may only show wear and tear commensurate with normal use.
- MEYRA GmbH shall determine whether the returned item fulfils the requirements specified above. Should these requirements not be fulfilled, we shall also issue the customer with an invoice for the amount specified above for the replacement product delivered less the residual value of the returned item.

10. PRODUCT SAFETY GUARANTEE

10.1. PRODUCT RECALL

If, due to defects in the goods delivered or to existing legal stipulations, it becomes necessary to have a product recalled, then the Client is obliged to cooperate in implementing such product recall in order to ensure that it can be conducted efficiently. In the event of a product recall, the Client is in particular obliged to inform MEYRA GmbH regarding the whereabouts of the delivery items in the delivery chain (from the Client to end consumer). To this end, the Client must continually document, using appropriate documentation methods, the progress of the goods and provide MEYRA GmbH with such documentation upon request. If the Client supplies the goods to resellers, then it must impose upon such resellers, via contractual provisions, the foregoing duties of cooperation intended to ensure the efficient implementation of a product recall.

10.2. The Client is obliged to have end customers instructed with regard to the handling and use of the delivered products and to have such instruction carried out by trained specialists. If the Client supplies the goods to resellers, then it must impose upon such resellers, via contractual provisions, the foregoing training obligations pertaining to the handling and use of the delivered goods.

11. LIABILITY FOR DESIGN CHANGES

It is important to note that more stringent legal provisions shall apply in the case of custom orders. Design changes to MEYRA GmbH products by the customer or a third party contracted by the customer shall only be permitted if they are in line with the safety requirements and our management has declared its consent in writing in advance. To this end, if requested, a modified model and design drawings are to be made available to us. Should design changes be undertaken without the prior written consent of our management and damage due to the changes is caused to a third party for which we are liable in the external relationship, the customer shall be required to release us in the internal relationship from claims by the third party.

12A. RETURN OF FINISHED PRODUCTS AND MODULES

Goods returned without an accompanying delivery note or invoice copy shall not be accepted. Credit equivalent to 80 % of the net value of the goods shall be granted for goods returned in their original packaging and in mint condition. Excluded from return are items delivered more than three months ago, custom orders, sanitary items, filled batteries and products with a net value of less than € 100.00. Also excluded are custom-made wheelchairs (e.g.: wheelchairs for children or adaptive wheelchairs). The transport risk shall be borne by the sender.

12B. ORDER CANCELLATIONS FOR FINISHED PRODUCTS

12B.1. Order cancellations without the prior agreement of MEYRA GmbH shall not be permitted.

12B.2. Cancellations shall be made in writing.

12B.3. Should an agreement be reached regarding the cancellation of finished products which are ready for delivery, the following shall apply:

- Rehabilitation products shall be credited in full.

In principle, orders for custom wheelchairs and sports wheelchairs cannot be cancelled.

- In the event of the cancellation of an order for adaptive wheelchairs, 20% of the net value shall be retained to cover costs.

The cancellation fee for electric wheelchairs and scooters is 5%. The cancellation fee for standard and lightweight wheelchairs is 10%.

12C. COLLECTION / DISPOSAL

Our prices do not include the costs for collection and disposal of complete old equipment from users other than private households. On request, and against reimbursement of the costs incurred, we are able to organise the collection and recycling / disposal of such equipment, provided it was purchased from us. Returns without the prior agreement of MEYRA GmbH are not possible.

13. USE OF PERSONAL DATA

We shall be entitled to save and process internally any personal data of the customer falling within the scope of the statutory provisions, in particular the General Data Protection regulation.

14. JURISDICTION, APPLICABLE LAW, SEVERABILITY CLAUSE

14.1. Unless expressly agreed to the contrary, the place of performance shall be the premises of MEYRA GmbH in Kalletal-Kalldorf.

14.2. The jurisdiction for all disputes arising out of the contractual relationship shall be determined by our headquarters in Kalletal-Kalldorf. We shall also be entitled to take action against the customer within its jurisdiction.

14.3. The law of the Federal Republic of Germany shall apply excluding the UN Convention on Contracts for the International Sale of Goods.

14.4. Should individual provisions of these General Terms and Conditions be wholly or partially void or ineffective, the validity of the remaining provisions shall remain unaffected.